



LP Series

Lighting Poles

Lighting Poles

Type LP-SE*

Corrosion-resistant

High strength


Various Models

Mild Steel / Stainless steel

Hot Dip Galvanized

Selection Table & Dimensional Drawing

Type	D	L (m)	E (m)	Pipe Thickness (mm)
LP-SE1	1 1/2	0.5 ~ 2.5	0.5	2
LP-SE2	2	0.5 ~ 3.5	0.6	
			0.7	
			0.8	
LP-SE3	2.5	0.5 ~ 3.5	0.9	3
			1	
			1.1	
LP-SE4	3	0.5 ~ 3.5	1.2	4
			1.3	
			1.4	



Lighting Poles

Type LP-SA **

Corrosion-resistant

High strength


Various Models

Mild Steel / Stainless steel

Hot Dip Galvanized

Selection Table & Dimensional Drawing

Type	L(m)	Bodies No.	Thickness (mm)
LP-SA1	3 ~ 6	1 2 3 4	2.5 3 4 5
LP-SA2	6 ~ 9		
LP-SA3	9 ~ 12		
LP-SA4	12 ~ 15		



LP Series

Lighting Poles

Type LP-SH*

Corrosion-resistant

High strength

Various Models

Mild Steel / Stainless steel

Hot Dip Galvanized

Selection Table & Dimensional Drawing

Type	L(m)	Bodies No.	Thickness (mm)
LP-SH1	3 ~ 6	1 2 3	2.5
LP-SH2	6 ~ 9		3
LP-SH3	9 ~ 12		4
LP-SH4	12 ~ 18		5
			6



LP Series

Lighting Poles

Type LP-TM **



Corrosion-resistant

High strength

Various Models


Mild Steel / Stainless steel

Hot Dip Galvanized

Movable Crown

Selection Table & Dimensional Drawing

Type	L(m)	Bodies No.	Thickness (mm)
LP-TM1	9 ~ 15	1	3
		2	
LP-TM2	15 ~ 25	3	
		4	
		5	
LP-TM3	25 ~ 35	6	
		7	



LP Series

Lighting Poles

Type LP-TF **

Corrosion-resistant

High strength

Various Models

Mild Steel / Stainless steel

Hot Dip Galvanized

Selection Table & Dimensional Drawing

Type	L(m)	Bodies No.	Thickness (mm)
LP-TF1	9 ~ 15	1	3
		2	
LP-TF2	15 ~ 25	3	4
		4	5
		5	6
LP-TF3	25 ~ 35	6	8
		7	

